

10/766,904

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	10873	viscosity with ink	USPAT	2006/03/03 12:03
2	BRS	L2	4880	1 and "347"/\$.ccls.	USPAT	2006/03/03 11:57
3	BRS	L3	143	1 and "347"/20.ccls.	USPAT	2006/03/03 11:57
4	BRS	L4	41489	viscosity with (ink or fluid)	USPAT	2006/03/03 12:03
5	BRS	L5	95	4 and 347/56.ccls.	USPAT	2006/03/03 12:08
6	BRS	L6	35	4 and 347/61.ccls.	USPAT	2006/03/03 12:12
7	BRS	L7	41	4 and 347/62.ccls.	USPAT	2006/03/03 12:14
8	BRS	L8	69	4 and 347/63.ccls.	USPAT	2006/03/03 12:17
9	BRS	L9	23	4 and 347/64.ccls.	USPAT	2006/03/03 12:18
10	BRS	L10	181	4 and 347/65.ccls.	USPAT	2006/03/03 12:23
11	BRS	L11	50	4 and 347/67.ccls.	USPAT	2006/03/03 12:23
12	BRS	L12	866	4 and 347/100.ccls.	USPAT	2006/03/03 12:24
13	BRS	L13	0	viscosuity same ("mPa.sec")	USPAT	2006/03/03 12:25
14	BRS	L14	134	viscosity same ("mPa.sec")	USPAT	2006/03/03 12:26
15	BRS	L15	7	14 and "347"/\$.ccls.	USPAT	2006/03/03 12:25
16	BRS	L16	389	viscosity same ("mPa.sec")	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 12:26
17	BRS	L17	16	16 and "347"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 12:30

10/764,904

18	IS&R	L18	1965	((347/20) or (347/56) or (347/61)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 12:31
----	------	-----	------	---	--	---------------------

*10/764, 904*

	Type	L #	Hits	Search Text	DBs	Time Stamp
19	IS&R	L19	1091	((347/62) or (347/63) or (347/64)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 12:31
20	IS&R	L21	286	(347/6).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 12:31
21	IS&R	L20	3042	((347/65) or (347/67) or (347/100)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 12:31

10 / 764, 904

	Type	Hits	Search Text
139	BRS	1754	347/47
140	BRS	1612	347/20
141	BRS	904	347/44
142	BRS	504585	(resist\$3 or transducer or electrothermal) same surface
143	BRS	471602	(orifice or nozzle or port) same surface
144	BRS	927252	S142 samd S143
145	BRS	140217	S144 same (distance or height or length)
146	BRS	5338	S145 and "347"/\$.ccls.
147	BRS	269739	(orifice or nozzle or port) with (surface or face or end)
148	BRS	450273	(thermal or energy or electrothermal or resist\$3 or heat\$3) with surface
149	BRS	13722	S147 with S148
150	BRS	98	S149 and 347/20.ccls.
151	BRS	111	S149 and 347/56.ccls.
152	BRS	245	S149 and 347/61-63.ccls.
153	BRS	322	S149 and 347/64-67.ccls.
154	BRS	168551	(nozzle or orifice of port) same (heat\$3 or resist\$3 or transducer or energy or electrothermal)
155	BRS	14868	S154 same (distance or height)
156	BRS	174	S155 and 347/47.ccls.

10/764, 904

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>
139	USPAT	2006/03/03 13:32		
140	USPAT	2006/03/03 13:37		
141	USPAT	2006/03/03 13:33		
142	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 13:40		
143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 13:41		
144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 13:41		
145	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 13:42		
146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/03 13:45		
147	USPAT	2006/03/03 13:45		
148	USPAT	2006/03/03 13:46		
149	USPAT	2006/03/03 13:46		
150	USPAT	2006/03/03 13:48		
151	USPAT	2006/03/03 13:50		
152	USPAT	2006/03/03 13:55		
153	USPAT	2006/03/03 13:55		
154	USPAT	2006/03/03 13:56		
155	USPAT	2006/03/03 13:56		
156	USPAT	2006/03/03 13:57		